			12/1/
	Application No.	Applicant(s)	
Nedica of Allemahilita	10/660,035	HARADA ET AL.	
Notice of Allowability	Examiner	Art Unit	
·	Hoan H. Tran	2852	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to			
2. The allowed claim(s) is/are <u>1-22</u> .			
3. The drawings filed on 10 September 2003 are accepted by the Examiner.			
4. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. A SUBSTITUTE OATH OR DECLARATION must be subminformal PATENT APPLICATION (PTO-152) which give 6. CORRECTED DRAWINGS (as "replacement sheets") must also including changes required by the Notice of Draftspers.	been received. been received in Application No cuments have been received in this application of this application. itted. Note the attached EXAMINER' res reason(s) why the oath or declarated to be submitted. It be submitted. It is not a provided in this received in this	national stage applicational stage application of the reconstruction is deficient.	quirements
1) hereto or 2) to Paper No./Mail Date (b) nicluding changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).			
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
 Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 09/10/2003 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	5. Notice of Informal P. 6. Interview Summary Paper No./Mail Dat 8), 7. Examiner's Amendn 8. Examiner's Stateme 9. Other	(PTO-413), e nent/Comment	

Application/Control Number: 10/660,035 Page 2

Art Unit: 2852

DETAILED ACTION

Priority

1. Receipt is acknowledged of papers submitted under 35 U.S.C. 119(a)-(d), which papers have been placed of record in the file.

Allowable Subject Matter

- 2. Claims 1-22 are allowed.
- 3. The following is an examiner's statement of reasons for allowance:

None of the prior art of record teaches or suggests an image forming apparatus comprising a combined-image adjusting section for forming a combined image so that the density detecting section detects a density of the combined image at plural and substantially equal pitches within a range of at least one circumference length of the image carrier, or so that the density detecting section detects a density average value of the combined image at plural and substantially equal pitches within a range of at least one circumference length of the image carrier.

Prior Art

- 4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure:
 - Yoshinaga et al. ['039] disclose method and apparatus for image forming apparatus capable of accurately detecting toner image patterns.
 - Parker et al. ['861] disclose a tandem tri-level xerographic apparatus and method for

Application/Control Number: 10/660,035

Art Unit: 2852

producing pictorial color images.

- Hirai et al. ['168] disclose an apparatus for forming superimposed image pattern

having controlled density.

Contact Information

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Hoan H. Tran whose telephone number is (571) 272-2141. The examiner can normally be reached from 8:30 AM - 5:00 PM Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Arthur Grimley can be reached at (571) 272-2136. The central office fax number for the organization where this application or proceeding is assigned is (703) 872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0956.

HHT

Dec. 25, 2004

HOANTRAN PRIMARY EXAMINER